Abstract

A process for producing scratch-resistant coatings, encompassing 5 the following steps:

- applying at least one UV-curable coating composition to at least one surface of an article to be coated, said coating composition comprising at least one polymer and/or oligomer Pl containing on average at least one ethylenically unsaturated double bond per molecule, and
- curing the coating composition by exposure to UV radiation,
- 15 which comprises conducting the curing of the coating composition under an oxygen-containing protective gas which has an oxygen partial pressure in the range from 0.2 to 18 kPa.

20

10

25

30

35

40

45